

HEALTHWEST

Practice Guideline

No. 12-015

Prepared by:


Effective: January 25, 2010

Revised: May 23, 2018

Cyndi Blair, RNBC
Chief Clinical Officer

Approved by:

Subject: Staff Medication Assistance



Julia B. Rupp
Executive Director

I. PURPOSE

To encourage independent, safe medication management of oral medications by those individuals receiving services.

II. APPLICATION

HealthWest contracted/employed physicians/PAs/NPs who prescribe oral medications to those we serve for the treatment of psychiatric disorders or the side effects of those medications, and employees or contract employees who provide medication management assistance.

III. DEFINITIONS

Medication Management:

The multiple step processes involved when securing and filling prescriptions, taking/administering medications according to a prescribed regimen and the reporting of useful information to a prescriber regarding mental illness symptoms and medication side effects.

Med Box:

A container into which oral medication is placed according to the prescribed regimen for self-administration at a later time and that provides the opportunity for tracking adherence with the prescribed regimen.

Med Box Assistance:

Any assistance provided by staff in the filling or monitoring of the filling of a med box by those we serve.

Medication Storage:

Storage at any HealthWest site of any oral medication belonging to those we serve.

Oral Medication Management Documentation:

- By the prescriber: (1) assessed need for assistance; (2) specific reason; (3) assessed need for medication storage; (4) specific reason medication storage is needed; (5) anticipated duration of time the service(s) will be needed and plan for monitoring and for ending the service(s); (6) on-going evaluation of the person's response and continued need for medication management assistance.
- By the primary worker: (1) person's willingness and ability to follow the prescribed medication regime; (2) progress notes describing the instruction and educational services provided as well as the individual's response for each time service is provided; (3) a treatment plan goal with safe, independent medication management as the clearly sought outcome; (4) communicating progress or continuing barriers to the prescriber in a physician briefing form; (5) revisions to treatment plan when lack of progress occurs.

IV. PROTOCOL

A. General Principles

The role of medication in the treatment and management of mental illness is important. The responsibility for independently self-administering medication belongs to the individual receiving services. Assistance provided by agency staff to individuals as they learn safe self-administration of oral medications is intended to be a time limited learning experience; the use of natural supports in this role must be pursued. The need for medication management assistance must be assessed and ordered by a prescriber.

B. Assessment

A prescriber must assess the need for staff medication management assistance and specify the reason(s) for it. The assessment will include input from staff on their observations of the person's ability and willingness to manage their medications.

A prescriber must assess the need for storing an individual's medication at a HealthWest site and specify the reason(s) for it. The assessment will include input from staff on their observations of the person's ability and willingness to manage their medications.

Considerations for staff medication management assistance:

1. Living environment theft or misuse of medications;
2. Cognitive impairment;
3. Complexity of medication regimen;
4. Impaired fine motor skills;
5. Limited literacy skills;

6. Severity of mental illness symptoms;

7. No natural supports available;

When medication management assistance is ordered by a prescriber, a specific plan for ending the assistance needs to be written by the primary worker including a schedule for re-evaluation of need.

Cognitive impairment, risk of suicide, and/or risk of overdose, must be assessed by a prescriber prior to being stated in a plan of service as the rationale for providing medication management assistance or medication storage at a HealthWest site.

General terms such as “non-compliance with medications” need to be replaced with specifics, such as, “refuses to take medications due to paranoid fears”, “forgot to take medications X number of times per X time period”, “currently too confused to set up med box independently”, or “no natural support yet located to assist filling med box”.

C. Treatment/Services

Staff must be trained by nursing staff how to most effectively teach individuals to manage their own medications, must be knowledgeable of and able to assess the skills and resources required, and must be able to effectively assist individuals in acquiring the necessary skills and resources. The curriculum for the training is available from the Senior Nurse.

Coaching individuals on how to schedule the ordering and picking up of medications/refills in a timely manner at a pharmacy is a needed skill for independent medication management services.

At each appointment when staff provides medication management assistance they will promote self-sufficiency with medication adherence, monitor symptoms and medication side effects, provide instruction on how to fill a med box to match the prescribed regime, explain the purpose of each medication and the type of symptom it is intended to alleviate, and evaluate the person’s ability to independently manage their medications.

Addressing and creatively solving medication storage barriers in the home needs to be in the plan of service when assessed as a reason for storing a person’s medications at a HealthWest site.

The plan of service must state the specific goal and medication management education/training/support/modeling services planned to assist the person to overcome identified barriers that interfere with effective self management of prescribed medication. The plan needs to clearly reflect an outcome expectation that will move the individual toward independent medication management.

Every effort is to be made by the primary worker to encourage the individual to recognize medication management as a needed service, but when this is not possible, the goal will be added as a Health & Safety goal in the treatment plan.

For individuals assessed as being at risk for suicide or overdose the treatment goal for medication management assistance needs to reflect a strategy for minimizing the risks and a measure for determining when the assistance is no longer required.

When medication containers are initially accepted for storage at a HealthWest site they must have a label containing the person's name, name of the medication, number of tablets/capsules in the container at that time, dosing instructions and the date the container was filled.

Medication stored at a HealthWest site must have the person's name on the bin with any known allergies posted on a red sticker.

All medication stored at a HealthWest site must be counted when first delivered to the site and must be kept in a locked medication cabinet. A Medication Container Log, M169, must be used for any person receiving med box assistance who has their medication stored at a HealthWest site. When taking medication out of the locked cabinet, the staff will record on the Medication Container Log the date, person's name, time taken out and the worker's initials, and when the medications are returned staff will record the time returned and their initials.

All Scheduled medications must be counted both before and after they are administered or placed in a med box, the tally recorded on a Scheduled Drugs Count Log, M170, along with the name/initials of the staff person and the name of the individual being served. The list of Scheduled II-V medications that must be counted, can be found on page 2 of M170. Any time the log does not reconcile with the number of Scheduled drugs present, staff must notify their immediate supervisor, complete an incident form and notify the police of potentially missing scheduled drugs.

Identification of an individual's natural supports that are willing and able to assist with medication management is expected to be part of the written plan for ending HealthWest medication management assistance.

D. Review/Monitoring

Staff providing assistance must document method(s) of assistance provided, the progress being made toward independence, the continued need for assistance, and communicates to the prescriber the person's ability and willingness to follow the prescribed medication regime on an on-going basis.

A prescriber must reassess the need for staff medication management assistance and/or the need for storing medication at a HealthWest site on an ongoing basis during medication reviews.

E. Documenting

A prescriber must document the results of an assessment or reassessment of the need for staff medication management assistance in the clinical chart on an on-going basis.

A prescriber must document the need for storing an individual's medication at a HealthWest site in the clinical chart, and reassess/document the need on an on-going basis.

“Cognitive impairment”, “risk of suicide”, and/or “risk of overdose” when assessed by a prescriber must be documented in the clinical chart prior to being stated in a plan of service as the rationale for providing medication management assistance or medication storage at a HealthWest site.

At each appointment staff providing medication management assistance will document services provided, the individual's response and progress towards meeting the goal. This information is reported to the prescriber and/or consultation occurs as needed but documented communication will take place at least once prior to each scheduled medication review.

F. Discontinuing Assistance

A prescriber who assessed the need for and prescribed staff medication management assistance will document in a reassessment note when the person no longer requires staff assistance.

The primary worker will develop a written plan with the person receiving services for discontinuing staff medication management assistance within 30 days of the prescriber's assessment that the assistance is no longer needed.

IV. ATTACHMENTS

- A. Medication Container Log, M169
- B. Scheduled Drugs Count Log, M170

/ab